



Top Equipment and Machines Pvt. Ltd.

(Your Surety is Our First Priority)

We are manufacturer, importer and distributor of all cleaning machines.

Safai Is A Leader In The Provision Of End-to-end Cleaning Solutions.

   **Contact No : +91 75677 78623**


 **adnan@topequipment.in**

 **<https://www.topequipment.in>**

 **Top Equipment and Machines Pvt. Ltd.**

 **D-17, M-CUBE, NH.08, Near Bombay Restaurant, Balitha,
Vapi, Dist. Valsad, Gujarat 396195**

Industrial & Commercial Sweeper Series



YZ-S1



Push-type sweeper

Functional features

- 55L large capacity dust collector
- Powerful brushing and pushing
- Easy and convenient free adjustment



Product parameters

Item	Unit	Number
Sweep width	mm	1000
Width of side brush	mm	/
Working Hours	h	All day
Traveling Motor	w	/
Battery capacity	v/ah	/
Machine weight	kg	27.5
Main brush width	mm	480
Working efficiency	m ² /h	3860
Dust tank capacity	L	55
Brush Motor	w	/
Walking speed	km/h	0-8
Product size	mm	1300*1000*1035

YZ-S2



Sweeping + Vacuuming

Functional Features

- Bulk garbage can be removed as soon as it is pushed
- High quality brushes
- Wear-resistant rubber wheel



Product Parameters

Item	Unit	Number
Sweep width	mm	750
Width of side brush	mm	400
Working Hours	h	All day
Traveling Motor	w	/
Battery capacity	v/ah	/
Machine weight	kg	11.2
Main brush width	mm	/
Working efficiency	m ² /h	2350
Dust tank capacity	L	50
Brush Motor	w	/
Walking speed	km/h	0-8
Product size	mm	1000*750*830

YZ-S3



Spray Dust Control Filtration Upgrade

Functional Features

- Electric push sweeper
- 100cm clean width
- Intelligent electric quantity protection



Product Parameters

Item	Unit	Number
Sweep width	mm	1000
Width of side brush	mm	400
Working Hours	h	3-4
Traveling Motor	w	/
Battery capacity	v/ah	12/100
Machine weight	kg	65
Main brush width	mm	400
Working efficiency	m ² /h	4000
Dust tank capacity	L	22
Brush Motor	w	120
Walking speed	km/h	0-8
Product size	mm	1000*1300*1000

YZ-S320



Sweeping + Vacuuming

Functional Features

- One step in place
- Wide range of use
- Folding Push Handle



Product Parameters

Item	Unit	Number
Sweep width	mm	850
Width of side brush	mm	350
Working Hours	h	5
Traveling Motor	w	/
Battery capacity	v/ah	24/24
Machine weight	kg	48
Main brush width	mm	700
Working efficiency	m ² /h	3150-5250
Dust tank capacity	L	56
Brush Motor	w	120
Walking speed	km/h	0-8
Product size	mm	1300*850*1050

YZ-S4



Ride-on Sweeper

Functional Features

- Sweeping & vacuuming combined
- 1250mm clean width
- Dedicated factory cleaning



Product Parameters

Item	Unit	Number
Sweep width	mm	1250
Width of side brush	mm	400
Working Hours	h	2-2.5
Traveling Motor	w	800
Battery capacity	v/ah	48/52
Machine weight	kg	396
Main brush width	mm	490
Working efficiency	m ² /h	6380
Dust tank capacity	L	80
Brush Motor	w	700
Walking speed	km/h	/
Product size	mm	1600*1250*1300

YZ-S5



Sweeping + Vacuuming

Functional Features

- Sweeping&vacuuming combined
- Double disc brake
- The volume of the water tank is larger and the cleaning is large



Product Parameters

Item	Unit	Number
Sweep width	mm	1350
Width of side brush	mm	490
Working Hours	h	2~3
Traveling Motor	w	800
Battery capacity	v/ah	48/58
Machine weight	kg	496
Main brush width	mm	590
Working efficiency	m ² /h	8500
Dust tank capacity	L	120
Brush Motor	w	700
Walking speed	km/h	0-10
Product size	mm	1650*1350*1260

YZ-S6



Quick dust cleaning

Functional Features

- Sweeping&vacuuming combined
- 1450mm clean width
- Dedicated factory cleaning



Product Parameters

Item	Unit	Number
Sweep width	mm	1450
Width of side brush	mm	2*500
Working Hours	h	3-4
Traveling Motor	w	1200
Battery capacity	v/ah	80
Machine weight	kg	580
Main brush width	mm	590
Working efficiency	m ² /h	/
Dust tank capacity	L	170
Brush Motor	w	800
Walking speed	km/h	0-10
Product size	mm	1600*1450*1450

YZ-S8



Semi Enclosed Sweeper

Functional Features

- Easy to drive and clean
- 7-hour service life
- Four brushes for dust collection





YZ-S8



Product Parameters

Item	Unit	Number
Sweep width	mm	1800
Width of side brush	mm	500*4
Working Hours	h	4~6
Traveling Motor	w	1500
Battery capacity	v/ah	100
Machine weight	kg	600
Main brush width	mm	690
Working efficiency	m ² /h	/
Dust tank capacity	L	180
Brush Motor	w	1000
Walking speed	km/h	/
Product size	mm	2200*1800*1850

YZ-S9



Semi-enclosed sweeper

Functional Features

- ABS Antilock System
- Strong Seismic Dust System
- Five-brush linkage design





YZ-S9



Product Parameters

Item	Unit	Number
Sweep width	mm	1900
Width of side brush	mm	500*4
Working Hours	h	4~6
Traveling Motor	w	1800
Battery capacity	v/ah	48/100
Machine weight	kg	760
Main brush width	mm	785
Working efficiency	m ² /h	15000
Dust tank capacity	L	200
Brush Motor	w	1000
Walking speed	km/h	0-12
Product size	mm	2500*1900*2250

YZ-S10



Enclosed Sweeper

Functional Features

- Powerful cleaning
- Suitable for kinds of floor
- Warehouse, workshop and factory




YZ-S10

Product Parameters

Item	Unit	Number
Sweep width	mm	2000
Width of side brush	mm	500*4
Working Hours	h	4-6
Traveling Motor	w	1500
Battery capacity	v/ah	150
Machine weight	kg	780
Main brush width	mm	790
Working efficiency	m ³ /h	/
Dust tank capacity	L	200
Brush Motor	w	1000
Walking speed	km/h	/
Product size	mm	2000*1900*1900

YZ-S11



New ways of cleaning

Functional Features

- Low labor costs and improved cleaning efficiency
- Intelligent Operating Platform
- Powerful motor for Yangtze





YZ-S11



Product Parameters

Item	Unit	Number
Sweep width	mm	2000
Width of side brush	mm	800
Working Hours	h	6~8
Traveling Motor	w	1800
Battery capacity	v/ah	48/150
Machine weight	kg	872
Main brush width	mm	800
Working efficiency	m ² /h	24600
Dust tank capacity	L	220
Brush Motor	w	1000
Walking speed	km/h	/
Product size	mm	2100*2000*2000

YZ-S12



Fully enclosed sweeper

Functional Features

- Fully automatic, efficient cleaning
- Lifetime maintenance of equipment
- Dust Suppression by Double Spray Spray




YZ-S12

Product Parameters

Item	Unit	Number
Sweep width	mm	2000
Width of side brush	mm	800
Working Hours	h	6~8
Traveling Motor	w	1800
Battery capacity	v/ah	48/150
Machine weight	kg	872
Main brush width	mm	800
Working efficiency	m ² /h	24600
Dust tank capacity	L	220
Brush Motor	w	1000
Walking speed	km/h	/
Product size	mm	2100*2000*2000

YZ-S13



Ride-on Sweeper

Functional Features

- Strong four sets of side brushes
- Long-lasting
- Sweeping and suction in one



YZ-S13

Product Parameters

Item	Unit	Number
Sweep width	mm	2100
Width of side brush	mm	4*550
Working Hours	h	6~8
Traveling Motor	w	2000
Battery capacity	v/ah	48/150
Machine weight	kg	960
Main brush width	mm	800
Working efficiency	m ² /h	25600
Dust tank capacity	L	230
Brush Motor	w	1000
Walking speed	km/h	/
Product size	mm	2650*2100*2350

YZ-S14



Yangzi new sweeper

Functional Features

- Quick barrel change
- Property special vehicle for town environmental sanitation community
- Equipped with powerful high pressure water gun




YZ-S14
Product Parameters

Item	Unit	Number
Sweep width	mm	1900-2100
Width of side brush	mm	/
Working Hours	h	4~6
Ac drive motor work	kw	5.5
Battery capacity	v/ah	48/300
Machine weight	kg	1580
Main brush width	mm	700
Working efficiency	m ² /h	35600
Dust tank capacity	L	240
Brush Motor	w	1200
Walking speed	km/h	25
Tank capacity	L	200
Product size	mm	3950*2050*1200

YZ-S15



New Convenient Cleaning Car

Functional Features

- Electric shock dust
- Endurance
- High quality edge brush





YZ-S15



Product Parameters

Item	Unit	Number
Sweep width	mm	1900-2050
Width of side brush	mm	480
Working Hours	h	4-6
Ac drive motor work	kw	1800
Battery capacity	v/ah	48/150
Machine weight	kg	1100
Main brush width	mm	800
Working efficiency	m ² /h	15000
Dust tank capacity	L	300
Brush Motor	w	800
Walking speed	km/h	10
Tank capacity	L	180
Product size	mm	2600*2100*2350

Industrial & Commercial Scrubber Series





YZ-X1



Small Floor Scrubber

Functional Features

- Scrubber&Wash&Vacuum three-in-one
- It is widely used
- Special motor for floor scrubber



Product Parameters

Item	Unit	Number
Cleaning efficiency	m ² /h	1350
Width of brush plate	mm	330
Width of absorbent steak	mm	460
Rotating speed of brush	rpm	180
Brush plate motor	w	300
Power of suction	w	500
Capacity of clean/	L	5.4/11
Battery capacity	v/ah	12/32*2
working hours	h	2-2.5
Whole machine weight	kg	62
Product size	mm	900*400*1000

YZ-X2



Walk behind floor scrubber

Functional Features

- Shopping malls / supermarkets / factory workshops
- Strong suction system
- Double floating ball induction



Product Parameters

Item	Unit	Maintenance-free type	Liquid adding type	Wire type
Cleaning efficiency	m ² /h	2800	2800	2800
Width of brush plate	mm	600	600	600
Width of absorbent steak	mm	800	800	800
Rotating speed of brush plate	rpm	195	195	195
Brush plate motor power	w	550	550	550
Power of suction motor	w	550	550	550
Capacity of clean/sewage tank	L	50/45	50/45	50/45
Battery capacity	v/ah	12V100A*2	12V100A*2	no
working hours	h	2-3	2-3	
Whole machine weight	kg	151	150	111
Product size	mm	1200*800*1050	1200*800*1050	1200*800*1050

YZ-GX1

Wireless floor scrubber

Functional Features

- Strong suction system
- Non marking skid resistant tire
- One key convenient operation



Product Parameters

Item	Unit	Number
Cleaning efficiency	m ² /h	3450
Width of brush plate	mm	600
Width of absorbent steak	mm	780
Rotating speed of brush plate	rpm	195
Brush plate motor power	w	500
Power of suction motor	w	400
Capacity of clean/sewage tank	L	55/65
Battery capacity	v/ah	12V100A*2
working hours	h	2-3
Whole machine weight	kg	127
Product size	mm	1380*780*1240

YZ-X4



Walk behind floor scrubber

Functional Features

- Floor dry without any trace
- Multi version selection
- Strong suction motor



Product Parameters

Item	Unit	Self-pushed type	
Cleaning efficiency	m ² /h	3300	3300
Width of brush plate	mm	600	600
Width of absorbent steak	mm	820	820
Rotating speed of brush plate	rpm	195	195
Brush plate motor power	w	550	550
Power of suction motor	w	550	550
Capacity of clean/sewage tank	L	55/65	55/65
Battery capacity	v/ah	12v100A*2	12v100A*2
working hours	h	2-2.5	2-3
Whole machine weight	kg	160.5	150
	mm	1300*820*1070	1300*820*1070

YZ-X5



Ride on floor scrubber

Functional Features

- Simple and easy to operate, Save the time and cost
- High cleaning efficiency time saving and money saving
- Suitable for more than 1000 Mitr/Sq



Product parameters

Item	Unit	Double-brush type	Single-brush type
Cleaning efficiency	m ² /h	3650	3650
Width of brush plate	mm	433*2	700
Width of absorbent steak	mm	1000	1000
Rotating speed of brush plate	rpm	230	230
Brush plate motor power	w	380*2	550W
Power of suction motor	w	500	500
Capacity of clean/sewage tank	L	84/81	84/81
Battery capacity	v/ah	12v100A*2	12v100A*2
working hours	h	2-3	2-3
Whole machine weight	kg	211	198
Product size	mm	1480*1000*1100	1480*1000*1100

YZ-X6



Ride on floor scrubber

Functional Features

- Scrubbing + washing + drying
- Hard ground wear resistance is more efficient
- Design of large capacity water tank



Product Parameters

Item	Unit	Number
Cleaning efficiency	m ² /h	4500
Width of brush plate	mm	433*2
Width of absorbent steak	mm	1000
Rotating speed of brush plate	rpm	230
Brush plate motor power	w	380*2
Power of suction motor	w	550
Capacity of clean/sewage tank	L	85/90
Battery capacity	v/ah	12V140A*2
working hours	h	3
Whole machine weight	kg	236
Product size	mm	1400*1000*1100



YZ-X7



Driving floor washer

Functional Features

- Commercial cleaning machine
- High cleaning efficiency, time and effort saving
- Automatic lifting of pickling head



Product Parameters

Item	Unit	Number
Cleaning efficiency	m ² /h	6500
Width of brush plate	mm	500*2
Width of absorbent steak	mm	1180
Rotating speed of brush plate	rpm	230
Brush plate motor power	w	300*2
Power of suction motor	w	600
Capacity of clean/sewage tank	L	138/140
Battery capacity	v/ah	6V220*4
working hours	h	3-4
Whole machine weight	kg	380
Product size	mm	1650*1200*1420

YZ-X8



Commercial driving floor washer

Functional Features

- Three in one washing, wiping and sucking
- Large capacity water tank
- Long standby and efficient cleaning



YZ-X8 **Product Parameters**

Item	Unit	Number
Cleaning efficiency	m ² /h	8800
Width of brush plate	mm	460*2
Width of absorbent steak	mm	1180
Rotating speed of brush plate	rpm	230
Brush plate motor power	w	550*2
Power of suction motor	w	600
Capacity of clean/sewage tank	L	160/170
Battery capacity	v/ah	/
working hours	h	4-5
Whole machine weight	kg	490
Product size	mm	1650*1180*1450

YZ-X9



Industrial and commercial driving

Functional Features

- Wipe and suck three in one
- Long battery life
- Enlarge the water tank



YZ-X9

Product Parameters

Item	Unit	Number
Cleaning efficiency	m ² /h	9800
Width of brush plate	mm	950
Width of absorbent steak	mm	1170
Rotating speed of brush plate	rpm	/
Brush plate motor power	w	500*2
Power of suction motor	w	850
Capacity of clean/sewage tank	L	245/260
Battery capacity	v/ah	36V200A*6
working hours Brush plate motor power	h	6-8
Whole machine weight	kg	535
Product size	mm	1780*1170*1400

High Efficiency Vacuum Cleaner Series



YZ-106



1600W high suction vacuum cl

Functional Features

- Dry and wet blowing for multiple purposes
- Durable copper core motor
- 1600W high power and high efficiency motor



Product Parameters

Item	Unit		Number	
Rated voltage	V	220V/50Hz	220V/50Hz	220V/50Hz
Barrel material	/	stainless steel	stainless steel	stainless steel
Rated power	W	1600W	1600W	1600W
Wire length	m	5	5	5
Type of dust collection	/	Both wet and dry	Both wet and dry	Both wet and dry
vacuum degree	Kpa	≥ 21	≥ 22	≥ 23
Noise level	dB	≤ 75	≤ 76	≤ 77
Product weight	Kg	7.6	9.5	11.8
Product size	mm	380*380*500	380*380*710	380*380*810

YZ-108



1800W commercial vacuum cleaner

Functional Features

- Multi layer filtration
- Thickened stainless steel barrel
- 40mm large diameter



Product Parameters

Item	单位 Unit	Number
Rated voltage	V	220V/50Hz
Barrel capacity	L	60
Barrel material	/	Stainless steel
Rated power	W	1800W
Wire length	m	5
Type of dust collection	/	Wet/dry/blowing
vacuum degree	Kpa	≥ 19
Noise level	dB	≤ 75
Product weight	Kg	11.9
Product size	mm	470*450*810

YZ-302



Large commercial vacuum clear

Functional Features

- Push and suck to improve efficiency
- 0 consumables
- Industrial large capacity multi choice



Product Parameters

Item	Unit	Number
Rated voltage	V	220v-50Hz
Barrel capacity	L	70/80/100
Barrel material	/	Stainless wheel
Rated power	W	3200
Wire length	m	8
Type of dust collection	/	Wet/dry
vacuum degree	Kpa	≥ 20-23
Product weight	Kg	24/25/28
Noise level	dB	< 78
Product size	mm	600*505*830mm

YZ-306

Super strong commercial vacuum cleaner

Functional Features

- Super cleaning range
- 40mm large diameter
- Thickened stainless steel barrel



Product Parameters

Item	Unit	70L	80L	100L
Rated voltage	V	220	220	220
Rated power	W	3500	3500	3500
frequency	Hz	50	50	50
Noise level	dB	≈≤ 80.5	≈≤ 80.5	≈≤ 80.5
Net weight	Kg	23	23.3	23.6
Gross weight of product	Kg	24.6	25.7	28.3
vacuum degree	Kpa	≈≥ 19.5	≈≥ 19.5	≈≥ 19.5
Wire length	m	8	8	8
Product size	mm	600*505*830	600*505*910	600*505*990

YZ-408



High power vacuum cleaner

Functional Features

- Upgrade 3 motors
- Super cleaning range
- Multi layer filtration system



Product Parameters

Item	Unit	Number
Rated voltage	V	220v-50Hz
Barrel capacity	L	70/80/100
Barrel material	/	Stainless steel
Rated power	W	4800
Wire length	m	8
Type of dust collection	/	Wet/dry/blowing
vacuum degree	Kpa	≥ 23.1
Product weight	Kg	30/32/36
Noise level	dB	< 82
Product size	mm	600*505*840mm

Industrial & Commercial Cleaning Series





YZ-SF1



Product Parameters

Item	Unit	Number
Rated Voltage	V/Hz	220V/50
Suction Motor Power	W	1200
Power Of Rolling Brush Motor	W	40
Foaming Motor Power	W	132
Clean/sewage water tank	L	30/20
Air Flow	m ³ /h	180
Throat Length	m	4
Wire Length	m	15
Noise Level	dB	28
Weight	kg	60
Product Size	mm	850*430*290

YZ-DT1



Product Parameters

Item	Unit	Number
Working Width	mm	1150
Rolling Brush Speed	r/min	900
Rated Voltage	V/Hz	220V/50
Power	W	1200
Clean/sewage water tank	L	38/30
Wire Length	m	15
Product Size	mm	620*420*870

DC1517 >>>

Polisher

Functional Features

- more wear-resistant and durable
- a long battery life
- Ergonomic design



Product parameters

Item	Unit	parameter
Voltage	v	220
Power	w	1500
Frequency	HZ	50
Chassis diameter	inch	17
Speed	r/min	175
Noise	db	≤60
Weight	kg	42
Power cord	m	12



YZ-GY1



Product Parameters

Item	Unit	Number
Voltage	v	220
Power	w	1800
Rotating Speed	r/min	2800
Pressure	mPa	12
Flow	l	13
Size	mm	830*600*430

YZ-GY2



Product Parameters

Item	Unit	Number
Voltage	v	220
Power	w	2200
Rotating Speed	r/min	2800
Pressure	mPa	12
Flow	l	13
Size	mm	830*650*450



YZ-GY3



Product Parameters

Item	Unit	Number
Voltage	v	220
Power	w	1800
Rotating Speed	r/min	1450
Pressure	mPa	11
Flow	l	15
Size	mm	775*700*330

YZ-GY4



Product Parameters

Item	Unit	Number
Voltage	v	220
Power	w	3000
Rotating Speed	r/min	1450
Pressure	mPa	13
Flow	l	15
Size	mm	775*700*330



YZ-GY5



Product Parameters

Item	Unit	Number
Voltage	v	380
Power	w	3000
Rotating Speed	r/min	1450
Pressure	mPa	14
Flow	l	15
Size	mm	775*770*330

YZ-GY6



Product Parameters

Item	Unit	Number
Voltage	v	380
Power	w	4000
Rotating Speed	r/min	1450
Pressure	mPa	16
Flow	l	15
Size	mm	775*700*330



YZ-GY7



Product Parameters

Item	Unit	Number
Voltage	v	380
Power	w	5500
Rotating Speed	r/min	1450
Pressure	mPa	20
Flow	l	15
Size	mm	850*530*380

YZ-GY8



Product Parameters

Item	Unit	Number
Voltage	v	380
Power	w	7500
Rotating Speed	r/min	1450
Pressure	mPa	26
Flow	l	15
Size	mm	850*530*380

YZ-GY9



Functional Features

- Visual Pressure Regulation Adjust the pressure according to the actual situation, saving time and water
- Automatic Start And Stop Water And Energy Saving Environmental Protection And Green
- High Pressure Explosion-proof Water Pipe

Product Parameters

Item	Unit	Number
Voltage	v	380
Power	w	10000
Rotating Speed	r/min	1450
Pressure	mPa	30
Flow	l	15
Size	mm	1000*800*600

J1



Product Parameters

Item	Unit	Number
Voltage	v/hz	220/50
Suction Motor Power	w	800
Water Pump	w	50
Water Pressure	bar	4.8
Clean/Sewage Water Tank	l	14/8
Flow	lpm	4.8
Throat Length	m	4
Wire Length	m	8
Noise Level	db	60
Weight	kg	10

J2



Product Parameters

Item	Unit	Number
Working Width	in	170
Load Speed	rpm	200
Speed Mode	/	gear turning
Power	w	1800
Power Cable	m	15
Weight Ron	kg	10/3
Voltage	v/hz	220/50
Net Weight	kg	60
Amount Of Noise	db	≤60
Product Size	mm	300*2000*300